SPORT

aprilia®

SR MAX 300 i.e.

SR MAX 125 i.e.

100

A STATE OF T

aprilia

300.125

aprilia®

THE MAXIMUM IN RACING EXCITEMENT IN A MAXI SCOOTER

LIVE YOUR SPORT PASSION, SHOW EVERYONE YOUR PERSONALITY, EXPERIENCE APRILIA PERFORMANCE AND TECHNOLOGY EVERY DAY. SR MAX IS THE SCOOTER WHICH GIVES YOU THE MAXIMUM IN EVERY SENSE OF THE WORD: IN THE DESIGN INSPIRED BY THE MOTORCYCLE WHICH DOMINATES THE WORLD CHAMPIONSHIP TRACKS, IN THE SPORTING RIDE, IN THE INVITING COMFORT AND PRACTICALITY WHICH FOLLOWS YOU IN EVERY MOMENT OF DAILY LIFE, FROM RUSH HOUR TRAFFIC TO THE HORIZONS OF FREE TIME.



id and quick SR MAX is available in two

TECHNOLOGY



aprilia

WINNING LOOK

Aerodynamic front end with a silver grille, lateral insert with aluminium finishing, sports graphics and colours, analogue-digital instrument panel: SR MAX is inspired by the racing world in every detail.

SUPERIOR SAFETY

The braking system with generously sized discs (260mm - 240mm) together with the 15" wheels on the front and 14" on the rear, with wide radial tyres, guarantee maximum safety and road holding.

CAPABLE OF ANYTHING

Under the large and comfortable saddle, the compartment equipped with lighting and an electrical outlet can hold two helmets, one flip up, or a laptop bag.

MAX ACCESSORIES

Make your SR MAX even more unique and exciting by choosing from a range of accessories created exclusively to expand the functionality and comfort even more, always with unmistakable Aprilia style:

- Top box kit with the cover painted in same colour as vehicle containing 1 flip up helmet
- Customised Aprilia bike cover
- Aprilia Electronic Alarm
- Practical and easy to wear universal leg cover

SRMAX 300/125



RACING WHITE



SR MAX 125 i.e.



SR MAX 300 i.e.

Fuerine	OUIADAD 4 studies simple sufficiency	Fasias	A shall a shall a fasta
Engine	QUASAR 4-stroke single cylinder	Engine	4-stroke single cylinder
Engine capacity	278 cc	Engine capacity	124cc
Bore / Stroke	75 mm / 63 mm	Bore / Stroke	57 mm / 48.6 mm
Power	22.4 hp at 7,250 rpm	Power	15 hp at 9,250 rpm
Torque	23 Nm at 6,000 rpm	Torque	12 Nm at 8,000 rpm
Valve timing system	Single overhead camshaft (SOHC) - 4 valves	Valve timing system	Single overhead camshaft (SOHC) - 4 valves
Fuel system	Electronic injection	Fuel system	Electronic injection
Cooling	Liquid	Cooling	Liquid
Lubrication	Wet sump	Lubrication	Wet sump
Starter	Electric	Starter	Electric
Transmission	CVT with torque server	Transmission	CVT with torque server
Clutch	Automatic, centrifugal dry clutch	Clutch	Automatic, centrifugal dry clutch
Frame	Double cradle in high strength tubular steel	Frame	Double cradle in high strength tubular steel
Front suspension	35 mm hydraulic telescopic fork	Front suspension	35 mm hydraulic telescopic fork
Rear suspension	Double shock absorber with three-position spring preload adjustment	Rear suspension	Double shock absorber with three-position spring preload adjustment
Front brake	260 mm Ø disc	Front brake	260 mm Ø disc
Rear brake	240 mm Ø disc	Rear brake	240 mm Ø disc
Front wheel rim	Aluminium alloy 15" x 3.00	Front wheel rim	Aluminium alloy 15" x 3.00
Rear wheel rim	Aluminium alloy 14" x 3.50	Rear wheel rim	Aluminium alloy 14" x 3.50
Front tyre	Tubeless 120/70-15"	Front tyre	Tubeless 120/70-15"
Rear tyre	Tubeless 140/60-14"	Rear tyre	Tubeless 140/60-14"
Length / Width	2,110 mm / 780 mm	Length / Width	2,110 mm / 780 mm
Wheelbase / Saddle height	1,515 mm / 815 mm	Wheelbase / Saddle height	1,515 mm / 815 mm
Fuel tank capacity	15 litres (including 2.8 litre reserve)	Fuel tank capacity	15 litres (including 2.8 litre reserve)
Emissions compliance	Euro 3	Emissions compliance	Euro 3



The

SR MAX is an environmentally friendly vehicle compliant with Euro 3 regulations for exhaust and noise emissions.

Drive safely always wearing a helmet and protective clothing. Observe the laws of the road and respect the environment. Carefully read the owners' handbook. Photographs, technical data, specifications and colours shown in this brochure refer to the Italian market version and may be subject to change without prior notice. Ask your official Aprilia dealers for full details. In order to maintain your machine in a safe and efficient manner, always demand official Aprilia Spare Parts, which are guaranteed by Aprilia Quality Service in respect of current legislation. E & O E. Aprilia Offers Aprilia Road Assistance, a call centre available 24 hours a day for information and road rescue. E. & O.E. Aprilia reserves the right to change colour/ specification without prior notice.

prilia	
dassistance	
s	

a

roa SC dealer

